

YEALINK SIP-T54W v2, SIP-VoIP-Telefon, 4.3 Zoll Farb-LCD-Display



✓ Stock

CHF **160.00**

CHF **148.01** excl.

Yealink Tischtelefon SIP-T54W Grau

- SIP-Konten: 16 ×
- PoE: Ja
- Verbindungsart Headset: Bluetooth
- RJ-9
- Funktionen Tischtelefone: Optische Anrufsignalisierung
- Mikrofon Stummschaltung
- Anrufsperr (Blacklist)
- Do not Disturb (DND)
- Hörgerätekompatibel
- BI

Manufacturer	Yealink
EAN	6938818303171
Manufacturer#	1301081
Tagged as	New

Description

Yealink SIP-T54W. Produkttyp: IP-Telefon, Produktfarbe: Schwarz, Hörertyp: Kabelgebundenes Mobilteil. Dual-Tone-Multifrequenz-Modi (DTMF): Im Band, Out-of band, SIP-Info. Linienanzahl: 10 Zeilen, Telefonbuch Kapazität: 1000 Eintragungen. Lautstärkereger: Tasten. Display: LCD, Bildschirmdiagonale: 10,9 cm (4.3 Zoll), Bildschirmauflösung: 480 x 272 Pixel

Specification

Product Description	Yealink SIP-T54W - VoIP phone - with Bluetooth interface with caller ID - 3-way call capability
Product Type	VoIP phone - with Bluetooth interface with caller ID
Cordless Phone Standard	IEEE 802.11a/b/g/n/ac (Wi-Fi)

Main Features	Multiple VoIP protocol support, integrated Ethernet switch
VoIP Protocols	SIP, SIP v2, SRTP
Voice Codecs	G.722, G.723.1, G.726, iLBC, Opus, G.729A/B
Speakerphone	Yes
Call Services	Voice Mail, Caller ID, Call Waiting, Call Forwarding, Call Transfer, Call Hold
Display	LCD display - colour - Yes
Network Ports Qty	2 x Ethernet 10Base-T/100Base-TX/1000Base-T
Body Colour	Classic gray

Techn. Details

Product Type	VoIP phone
Integrated Components	Bluetooth interface
Body Colour	Classic gray
Operating System	Linux
Cordless Phone Standard	IEEE 802.11a/b/g/n/ac (Wi-Fi)
Wireless Interface Provided	Wi-Fi / Bluetooth
Call Services	Voice Mail, Caller ID, Call Waiting, Call Forwarding, Call Transfer, Call Hold
Caller ID Type	Caller ID
Dialer Location	Base
Conference Call Capability	3-way
Speakerphone	Yes
Messaging Services	SMS
Programmable Buttons Qty	10
Volume Control	Yes

Indicators	Voice message waiting indicator
Additional Functions	Call recording, redial, mute, call park, Optimal HD Voice, call pickup
Main Features	Multiple VoIP protocol support, integrated Ethernet switch
VoIP	Yes
VoIP Protocols	SIP, SIP v2, SRTP
Voice Codecs	G.722, G.723.1, G.726, iLBC, Opus, G.729A/B
Quality of Service	IEEE 802.1Q (VLAN), IEEE 802.1p, Type of Service (ToS)
IP Address Assignment	DHCP, static, PPPoE
Security	IEEE 802.1X, TLS
Power Over Ethernet (PoE) Support	Yes
Network Protocols	TCP, TFTP, UDP, HTTP, DNS, HTTPS, SRTP, TR-069, SNTP
Network Ports Qty	2 x Ethernet 10Base-T/100Base-TX/1000Base-T
Voice Features	Comfort noise generation (CNG), voice activity detection (VAD), HD Voice, acoustic echo cancellation (AEC), packet loss concealment (PLC), adaptive jitter buffer (AJB), automatic gain control (AGC)
Network Features	Network Address Translation (NAT), Class 3 PoE, Lightweight Directory Access Protocol (LDAP)
Phone Directory Capacity	1000 names & numbers
Type	LCD display - colour
Display Location	Base
Diagonal Size	4.3"
Display Resolution	480 x 272 pixels
Backlit	Yes
Connections	Headset jack / RJ-9 USB Handset jack / RJ-9

Hearing Aid Compatible	Yes
Placing / Mounting	Table-top
Cables Included	Network cable
Included Accessories	Stand
Width	23.3 cm
Depth	22.26 cm
Height	18.61 cm

Related Prod.

Headset-Adapter



Yealink EHS Adapter EHS40 USB-A - RJ-45/RJ-9, Adaptertyp: EHS Adapter, Anschluss 1 (Quelle): USB-A, Anschluss 2 (Endgerät): RJ-9, Detailfarbe: Schwarz



CHF **92.00**
CHF **85.11**
excl.

Tastenfelder



Yealink EXP50 - Expansion module for VoIP phone - for Yealink IP Phones T53, T53W, T54W, T57W, T58A



CHF **109.00**
CHF **100.83**
excl.