

Logitech Rally Bar Mini OFF-WHITE EMEA PLUG



✓ Only little available

CHF **2,289.00**

CHF **2,117.48** excl.

Rally Bar Mini OFF-WHITE EMEA PLUG SWISS

Manufacturer [Logitech](#)

EAN 5099206093157

Manufacturer# 960-001354

Tagged as

New

Description

Marketing description is not available.

Specification

Product Description	Logitech Rally Bar Mini - video conferencing device
Device Type	Video conferencing device
Dimensions (WxDxH)	71.9 cm x 10.1 cm x 9.14 cm
Weight	4.03 kg
Video Input	Digital video camera - SuperSpeed USB 3.0
Audio Input	6-microphone array - beamforming
Audio Output	Speaker(s)
Input Device	Remote control (wireless)
Networking	Ethernet, Fast Ethernet, Gigabit Ethernet, Bluetooth, IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac
Power	AC 100-240 V

Software Certification	Zoom Certified, Certified for Microsoft Teams
Manufacturer Warranty	2-year warranty
Techn. Details	
Device Type	Video conferencing device
Width	71.9 cm
Depth	10.1 cm
Height	9.14 cm
Weight	4.03 kg
Enclosure Colour	White
Type	Digital video camera (colour) - desktop
Interface Type	SuperSpeed USB 3.0
Video Modes	480p, 720p, 1080p, 4K, 1440p, 900p
Digital Zoom	4
Camera Mechanical Design	Pan / tilt
Features	RightLight technology, RightSound technology, Acoustic Echo Cancellation (AEC), 30 fps, 120° diagonal field of view, 113° field of view (horizontal), RightSight technology, Voice Activity Detector (VAD), -25° / +25° pan, -15° / +15° tilt, RightSense technology, AI Viewfinder technology, 80.7° field of view (vertical)
Type	6-microphone array - integrated
Microphone Operation Mode	Beamforming
Frequency Response	90 - 16000 Hz
Type	Speaker(s)
Total Harmonic	<2%

Distortion (THD)	
Type	Remote control
Connectivity Technology	Wireless
Connectivity Technology	Wireless, wired
Data Link Protocol	Ethernet, Fast Ethernet, Gigabit Ethernet, Bluetooth, IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac
Features	MIMO technology, cable management, AES encryption
Compliant Standards	IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac
Interfaces	1 x audio / video - HDMI input 2 x audio / video - HDMI output 1 x network - Ethernet 10Base-T/100Base-TX/1000Base-T - RJ-45 3 x SuperSpeed USB 3.0 1 x USB-C 3.0 Microphone - input
Cables Included	1 x HDMI cable - 2 m 1 x USB 3.0 Type C to Type A cable - 2.2 m
Included Accessories	Lens cap
Software Certification	Zoom Certified, Certified for Microsoft Teams
Compliant Standards	Plug and Play, AES-128
Power Device	Power adapter - external
Voltage Required	AC 100-240 V
Service & Support	Limited warranty - 2 years
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range	10 - 95%

Operating

Date added: 2021-06-08 08:30:38 / SID: 4386829 / DID: 4218695